	Name of the Trade			Carpenter
S.No	Name of the item	Std List No.	Type of the item (Tool / Equipment / Machinery)	Specifications
(i) 1	(ii) Foot rule (two ft. Four fold)/ steel rule	(iii) 1	(iv) Tools	(v) Stainless Steel blade of length 300mmx width 25mmx18 gauge. Inch,cm & mm engraved on the scale
2	MARKING KNIFE, 200 MM. LENGTH	2	Tools	Marking Knife 200 MM, material - High Carbon steel, (point end and chisel edge)
3	CARPENTER SQUARE 200 MM	3	Tools	Carpenter Square 200 MM Length blade - 200mm Blade materialtempered steel, stock 120 MM, material -cast iron steel
4	SQUARE, BEVEL 50 MM.	4	Tools	200mm Tempered steel Blade adjustable with fly nut, 200 mm blade length with Stock 100 mm
5	CARPENTER MAKING GAUGE	5	Tools	Carpenter marking gauge.stem length 200mmx15mmx15mm - shisham wood & stock block 50 x 50 x 25 mm shisham wood Thumb screw - steel point/pin - steel,
6	CARPENTER MORTICE GAUGE	6	Tools	Carpenter mortice gauge stem length200x 15x15mm - & Stock block 50mm x 50mm x25mm ,shisham wood with Thumb screw , steel pin- one fixed and other movable in brass, pin adjustable
7	SAW HAND 450 MM.	7	Tools	open handle made of plastic ,length of blade - 450mm taper blade material - high carbon steel
8	SAW TENON 300 MM.	8	Tools	Saw tenon 300 MM Wooden handle closed , length of blade _ 300mm parallel , high carbon steel
9	PLANE, JACK METAL 335 MM. X 50 MM CUTTER	9	Tools	Plane jack metal 335 x50 mm cutter, stock length - 335mm -carbon steel cutter, width 50mm,cast iron body, handle & knob wooden/plastic
10	PLANE SMOOTHING, METAL 200 MM. X 50 MM CUTTER.	10	Tools	Plane smoothing metal 200x50 mm cutter, stock length - 200mm - cast steel cutter width .50mm high carbon steel
11	CHISEL, FIRMER (BEVEL) EDGE 6 MM. 10,15,20 AND 25 MM.WIDTH (5 NOS.)	11	Tools	Chisel Firmer(Bevel edged) seasoned hard sheesham Wooden handle with ferrule(top & bottom), blade - high carbon steel width of blade 6,10,15,20 and 25mm (5 no's)
12	CHISEL, MORTICE, 06,10,15 MM. (3 NOS)	12	Tools	Chisel Morticeseasoned Wooden handle with ferrule (top & bottom), blade - high carbon steel width of blade 6,10,15,mm(3 no's)
13	SCREW DRIVER 300 MM. (CABNIT MAKER)	13	Tools	Screw driver (Cabinet maker 300 MM) Length of blade - 300mm Handle made of plastic/Nylon, branded,Blade material - High carbon steel
14	MALLET MEDIUM SIZE	14	Tools	Mallet medium size, size - 6"(slight curved type) material - Hard shisham wood, handle - Tapered rectangle type
15	CLAW HAMMER 500 GR.	15	Tools	Claw hammer drop forged carbon steel with seasoned hard seesham wood handle, hardened and tempred ends, chorme plated Wt. 500 gm.
16	OILSTONE(CARBORUNDUM) UNIVERSAL SILICON CARBITE COMBINATIONROUGH AND FINE 200X 50X25 MM	16	Tools	Oil stone (Carborundum) (Universal silicon carbide combination rough and fine) 200 x 50 x 25 mm, for sharpening
17	HAND BRUSH FOR BENCH CLEANING 450 MM.	17	Tools	Standard size 450mm
18	COMPUTER WITH LCD PROJECTOR	18	Tools	COMPUTER -4th Generation intel i7 processor(3.4 GHz, 8 MB Cache with 4 GB RAM, 1 TB harddisk, wi-fi enabled, , USB optical mouse, multimedia key board LED Monitor 22", Standard ports and connectors, DVD Writer, Speakers and Mic. with preloaded licensed window 8.1 or latest operating system and latest internel security. WITH LCD PROJECTOR - type DLP, Multimedia projector display technology , Light output 3700 lumens, 1024x768 resolution, aspect ratio- 4:3,contrast ratio-3000:1 with standard accessory
19	MEASURING TAPE 3 METER	1	EQU/ MACH	Measuring Tape 3 Meter, blade material- spring steel, graduation in mm, cm & inches, casing plastic or metal
20	CONTRUCTION SCALE 1 METER	2	EQU/ MACH	Construction scale 1metre, Length - 1 meter x 25 mm x 16 gauge thickness material - stainless steel graduation in mm,cm and inches engraved on it.
21	SPRING CALIPER INSIDE 150 MM	3	EQU/ MACH	Spring caliper inside 150 mm, Length & leg - 150mm material leg - medium carbon steel,heavy duty cast alloy body hardened steel point, fully polished

22	SPRING CALIPER OUT SIDE	4	EQU/ MACH	spring caliper outside 150 mm Length & leg - 150mm material - medium carbon steel, heavy duty cast alloy body hardened steel point, fully polished
23	WING COMPASS 300 MM.	5	EQU/ MACH	Carbon steel 300 mm length, heavy duty cast alloy body hardened steel point, fully polished
24	TRAMMEL	6	EQU/ MACH	a pair of steel trammel point, length of point 100 mm, length of steel beam 450mm
25	SPRIT LEVEL 300 MM.	7	EQU/ MACH	body stainless steel, length 300 mm
-	RIP SAW 600 MM.	8	EQU/ MACH	high carbon steel 600 mm, plastic handle
	CROSS CUT SAW MM	9	EQU/ MACH	high carbon steel, 600 mm, plastic handle
28	KEY HOLE SAW 250 MM.	10	EQU/ MACH	high carbon steel (250mm blade tapered)seasoned wooden handle
29	FRET SAW FRAME 150 MM.	11	EQU/ MACH	Fret saw frame 150 mm, Depth of frame - 150mm material frame - cast iron, blade- H.S.steel
30	COMPASS SAW 350 MM.	12	EQU/ MACH	high carbon steel (length 350mm, blade tapered)seasoned wooden handle
31	ADZE 15 KG.	13	EQU/ MACH	Adze 1.5 Kg, material - forged steel, handle - seasoned hard seeham wood.
32	TRYING PLANE METAL 450 MM. X 60 MM. CUTTER	14	EQU/ MACH	450 MM. X 60 MM Cutter
33	PLANE RAVVET ADJUSTABLE 250 MM. X METERS X 9 MM. CUTTERS.	15	EQU/ MACH	250 MM. X METERS X 9 MM.
34	. PLOUGH PLANE WITH SET OF 8 CUTTER UP TO 12 MM. WIDTH	16	EQU/ MACH	Plough Plane set of 8 cutterUp to 12 mm width, body metal, cutter width 3,4,5,6,8,10and 12 mm material - high carbon steel
35	SPOKE SHAVES 50 MM. CUTTER	17	EQU/ MACH	Spoke shaves 50 mm cutter, body metal material - high carbon steel
36	PLANE ADJUSTABLE CIRCULAR 250 MM	18	EQU/ MACH	Body Metal - adjustable, stock size - 250mm, sole flexible, spring steel, cutter 45mm
37	ROUTER PLANE	19	EQU/ MACH	Body hard seasoned sheesham wood with cutter
-	MOULDING PLANE SET	20	EQU/ MACH	Body hard seasoned sheesham hard wood with cutter
39	CABINET SCREPER 100 MM.	21	EQU/ MACH	Cabinet scraper 100 mm Blade width - 100mm high carbon steel, with handle wooden.
	GAUGE CHISEL, FIRMER,	22	EQU/ MACH	width of curved
	6,10,12,16,20,MM	22		blade 6mm,10mm,12mm,16mm and 20mm material high carbon steel seasoned hard seesham wood handle
41	GAUGE CHISEL, SCRIBING 6,10,12,16,20,MM.	23	EQU/ MACH	width of curved blade 6mm,10mm,12mm,16mm and 20mm material high carbon steel, seasoned hard seesham wood handle
42	BALL PEEN HAMMER 600 GRS.	24	EQU/ MACH	weight - 600gms Handle - hard shisham wood body - forged steel
43	CROSS PEEN HAMMER 600 GRS	25	EQU/ MACH	weight - 600gms,with wooden handle
44	SCREW DRIVER 450 MM.	26	EQU/ MACH	cabinet type , length of blade - 450mm, handle plastic/ nylon , blade - toughened steel
45	SCREW DRIVER 250 MM.	27	EQU/ MACH	cabinet type , length of blade - 250mm, handle plastic/ nylon , blade - toughened steel
46	SCREW DRIVER 150 MM.	28	EQU/ MACH	cabinet type , length of blade - 150mm, handle plastic/ nylon , blade - toughened steel
47	PINCER 50 MM.	29	EQU/ MACH	Drop forged from Carbon Steel. Body Hardened & tempered. Heads Polished, length 200 mm.
48	FILE HALF ROUND 2 ND CUT 250 MM.	30	EQU/ MACH	material - high carbon steel with hard seesham wood handle
49	FILE HALF ROUND WOOD RASP BASTAD MM.	31	EQU/ MACH	material - high carbon steel with hard seesham wood handle, 250mm
50	FILE SLIM TAPER 100 MM	32	EQU/ MACH	material - high carbon steel hard seesham wood handle, 100 mm
51	FILE SLIM TAPER 150 MM.	33	EQU/ MACH	material - high carbon steel with hard seesham wood handle, 150 mm
52	CARD FILE (STEEL) WIRE BRUSH FOR FILE	34	EQU/ MACH	Card file (steel)wire brush for file size 150mm with wooden body
53	HANDS DRILL 6 MM. CAPACITIES	35	EQU/ MACH	MAX DRIL DIA 6MM , RATED VOLTAGE- LAGGING 110-220VOLT, NO OF LOAD SPEED 0-3000RPM, WEIGHT 2KG FRQ. 50-60 HTZ, RATED INPUT VOLTAGE 550 WATT
54	COUNTRY DRILL WITH BOW (BALL BEARING TYPE)	36	EQU/ MACH	body hard shisham wood with ball bearing & bit chuck with bow
55	RATCHEL BRACE 250 MM. SWAP	37	EQU/ MACH	Ratchet brace 250 mm swap chuck size - up to 12mm capacity with handle
56	HAND AUGER 10,12,14,16,18,20,22,25 MM.	38	EQU/ MACH	material - high carbon steel handle - wooden
57	CENTRE BITS 6,8,10,12.	39	EQU/ MACH	Centre bits 6,8,10,12 mm, material - high carbon steel.
58	EXPANSION BIT SETS.	40	EQU/ MACH	Expansion bit sets Range 1/2 " to 2" adjustable material - high carbon steel

60	COUNTER SINK BIT ROSE TYPE 12 MM.	40		material H.S steel
BI		42	EQU/ MACH	material H.S steel,12 mm
01	REAST DRILL 6 MM.CAPACITY	43	EQU/ MACH	 Cast Iron Body (Graded Casting) Wooden Handle for gripping
				 Heavy Duty Precision 3 Jaw Drill Chucks 6mm capacity mannualy operated
	CENTRE PUNCH 5	44	EQU/ MACH	H.C steel,5mm, Length 100 mm
	SNIP STRAIGHT 200 MM.	45	EQU/ MACH	naterial-Carbon steel, 200 mm length
⁶⁴ PI	DIL CANS COMBINATION SIDE CUTTING PLIERS.	46	EQU/ MACH	Combination pliers 200 mm length ,insulated grip
⁶⁵ Т`	PLUNGER SAW SET / PISTOL GRIP YPE.	46 A	EQU/ MACH	Plunger saw set / pistol grip type Length - 8", opening 3mm, body Carbon steel
66	IUMBER PUNCH 12 MM.	47	EQU/ MACH	10mm Letter Height, Easy to Read Font High carbon Hardened Steel w/ anti chip striking face, Plastic Case.
67 ^{SI}	SLIP STONE 100 MM.	48	EQU/ MACH	Slip stone 100 mm carborundum . Silicon carbide size - 100mm
60	ROUND CROW BAR WITH CHISEL AND CLAW END 1070 X 25 MM.	49	EQU/ MACH	Round Crow bar with chisel and claw end 1070 x 25 mm, material -high carbon steel
69 ^{. '}	' G' CLAMP 100.	50	EQU/ MACH	size-100mm, frame - cast/ malleable body spindle - steel handle with swivel head
70 ^{'G}	G' CLAMP 150 MM.	51	EQU/ MACH	size-150mm, frame - cast/ malleable body spindle - steel handle with swivel head
71 ^{'G}	G' CLAMP 250 MM.	52	EQU/ MACH	size-250mm, frame - cast/ malleable body spindle - steel handle with swivel head
72 ^{'T}	T' BAR CRAMP 0.6 METER.	53	EQU/ MACH	size - 0.6meter , material - malleable/SG Iron jaws, fine thread spindle (jaws) rod - steel
73 ^{(T}	T' BAR CRAMP 1.25	54	EQU/ MACH	size - 1.25meter material - malleable/SG Iron jaws, fine thread spindle (jaws) rod - steel
74 ^{'T}	T' BAR CRAMP 1.75 METER.	55	EQU/ MACH	size - 1.75meter material - malleable/SG Iron jaws, fine thread spindle (jaws) rod - steel
75	CARPENTER VICE 250 MM JAWS.	56	EQU/ MACH	Materials :- Body and sliding jaw : SG cast Iron of guaranteed strength. Slide Bars : Solid Steel Main Screw : High Quality Steel Body- SG Cast iron with steel spindle
76	SAW SHARPENING VICE 250 JAWS.	57	EQU/ MACH	Saw Sharpening Vice Materials :- Body and sliding jaw : SG CAST Iron of guaranteed strength. Slide Bars : Solid Steel Main Screw : High Quality Steel Body-SG Cast iron with steel spindle
77	CARVING TOOLS SET.	58	EQU/ MACH	Materials Blades : High precision chrome vanadium alloy steel Handles : Seasoned hard wood, front end covered by steel Polished ferrule.
78 G	GOGGLES PAIR.	59	EQU/ MACH	good quality plane glass
-	GLASS CUTTER.	60	EQU/ MACH	Glass cutter Diamond tip
80	IAIL PUNCH.	61	EQU/ MACH	Nail punch length - 100mm material - H.C. steel , knurled center portion
-	SURFACE PLATE 600 X 600 MM.	62	EQU/ MACH	cast iron, smooth surface 600 x 600 x 100 mm
	CARPENTER'S WORK BENCH 400X920X800 MM. HEIGHT	63	EQU/ MACH	body cast iron , top seasoned shisham hard wood, two side planks 250mmx50mm,centred well top30mm,side thickness 100mm, (2400x920x800mm)
83 O	DIL CAN.	64	EQU/ MACH	CAPACITY 250 ML, Wesco Type
S ⁻ W	STEEL LOCKERS, 8 COMPARTMENTS, VITH INDIVIDUAL LOCKS. 1980 X 910 X 80 MM DEPTH.	65	EQU/ MACH	Made of mild steel 20 gauge size 1980 X 910 X 480 MM consisting of 8 no. boxes with individual locking system to each.
	TEEL ALMIRAH WITH SHELVES 1980 X 10 X 480 MM DEPTH	66	EQU/ MACH	Standard Steel Almirah having dimensions of 1980 X910X480 mm with cupboard as per IS 3312-1984 made of MS sheet 20 SWG , Five compartments adjustable type ,Good quality handle , Fitted with lock & key
	NSTRUCTOR TABLE (HALF SECRETARIATE)	67	EQU/ MACH	body made from MS square pipe 16 gauge, 30 x 30 mm top, size 4' x 2.5' x 2.5' ,commercial ply 19 mm on 1 mm sunmica right hand 3 drawer with lock, MS sheet 22 GAUGE, powder coated paint.
87	NSTRUCTOR CHAIR.	68	EQU/ MACH	Chair Frame made of M.S Square Pipe 25 mm, thickness of pipe 1.5 mm, seat size18" x 18", height 18" with arms, seat and back cushion,Suitable powder coating paint
	STOOL.	69	EQU/ MACH	square pipe body 25 mm x 16 gauge top wooden size 15"x 15", height 18"

89	CHALK BOARD WITH EASEL.	70	EQU/ MACH	white board 6' x 4', commercial ply 19 mm fitted with 1 mm white sunmica with wooden beading
90	METERIAL RACK.	71	EQU/ MACH	8'4"length x 4'6" width x 3' height, body angled iron 35 mm x 4 mm having 2 equal compartment with door
91	PORTABLE CIRCULAR SAW MACHINE	72	EQU/ MACH	1150 W powerfull motor ,speed 5000 rpm, Max depth of cut : 65mm With accessory
92	PORTABLE PLANING MACHINE	72 A	EQU/ MACH	600 W powerful motor,speed 15000 rpm, max. depth of cut 2.5mm, Planer width 82mm, With accessory
93	POWER DRILL MACHINE	72 B	EQU/ MACH	Portable power drill having hammering option capicty- 20 mm RPM- 2500, watt- 500, body aluminium,With accessory
94	PORTABLE SANDER MACHINE	73	EQU/ MACH	170 watt powerfull motor,orbits/strokes,13500/min,wt-1.2kg(approx)With accessory, body aluminium
95	PORTABLE JIG SAW MACHINE	74	EQU/ MACH	Minimum 700 W powerful motor,Stroke length 26mm, capacity in mm metal 4 wood-130.,4stroke pendulum action,Stroke 0-3100/min, With accessory,body aluminium
96	PORTABLE ROUTER MACHINE	75	EQU/ MACH	800W powerful motor ,speed 27000rpm, collect size 6.35mm,plunge stroke 35mm, With accessory,body aluminium
97	POWER SCREW DRIVER	76	EQU/ MACH	body aluminium 440 watt powerfull motor speed 0-1000 rpm maximum,With accessory
98	COMBIND SURFACER AND THICKNER.	1	MACHINERY	Combined Surface and thickner -maximum plaining with 450mm,thicknessing capacity 9 inch,power 3HP,1440 rpm,3 ph,,With accessory
99	CIRCULAR SAW MACHINE 300 MM.DIA.	2	MACHINERY	Circular saw machine, 300mm dia -circular saw - max. depth of cut - 4.5 inch, work table size- 36x30 inch, power - 3HP, 1440 RPM, 3 PHASE, with Motor and adjustable cutter,With accessory
100	'LATHE, WOOD TURNING.' 150 MM HEIGHT OF CENTRES 1.75-METER BED, MOTORISED COMPLETE WITH A SET OF TURNING TOOLS.	3	MACHINERY	Wood turning lathe, 150mm height of centers, 1.75 meter bed centre distance 150 mm, Bed length 1.75 meter, 3 hp motor, 3 phase
101	SET OF TURNING TOOLS FOR ABOVE LATHE MACHINE	4	MACHINERY	flat and curved tools made of high carbon steel with wooden handles. Size of face10 mm, 15mm, 25 mm, 30 mm, 35 mm. set of five.
102	TENONING MACHINE (SINGLE ENDED)	5	MACHINERY	Tenoning machine (Single ended) -Working ht. 864 mm,cutter dia. 200 mm, Power 2 HP, Tenening capacity 200 mm, weight. 300 Kg(Appxt.), slide size 635 x 229 mm,, with accessory
	MORTISING MACHINE (COMBINE HOLLOW CHISEL AND CHAIN)	6	MACHINERY	 Mortising machine chisel type chain. Depth of cut 3 1/2", cross moment of table - 4", longitudinal movement - 9" 1HP 2500 rpm 3ph , Mortising machine chain type up down moment of table - 3" longitudinal movement - 12" depth of cut (max) 5 1/2 " 2HP, 1440 rpm 3phase motor 1/2 " chain, with accessory.
	BENCH GRINDER 200 MM.WHOLE D.E. PEDESTAL	7	MACHINERY	Bench grinder double end pedestal, 200mm wheel -dia, 1 Hp single phase motor with rotary switch, 2800 RPM, wheel guard with rest for ,supporting,With accessory
105	DRILL MACHINE 12 MM. CAPACITY	8	MACHINERY	Piller type Drill machine with drill chuck, 12mm capacity - one HP single phase moter ,With adjustable table, With accessory
106	PORTABLE ELECTRIC DRILL 6 MM. CAPACITY (WOIF TYPE)	9	MACHINERY	500 watt powerful motor, speed 2400 RPM, capacity in MM, MS 10, wood 25
107	DRILLS CHUCK 12 MM CAPACITIES.	10	MACHINERY	drill chuck, 12mm capacity with sleves and key
108	PORTABLE DISCSANDER 200 MM. DIA	11	MACHINERY	1400 watt powerful motor,speed 10000 RPM,weight 2.5 kg(approx.),With accessory
109	ADJUSTABLE SAW SHARPENER	12	MACHINERY	Adjustable saw sharpener Automatic band saw sharpiner 0. 75 KW, 2880 rpm , width of blade 1" to 2" with saw setting & sharpening,With accessory
110	. ELECTRIC HEATER 1000/1500 W 1 NOS.102.	13	MACHINERY	Electric heater, 1000/1500 W
110A		13A	MACHINERY	Capacity 2.0 mm3/min , Watts input (full load) 750 watts Nozzle air Velocity 400 kmph , ,With accessory
	MOISTURE METER GREESE GUN.	14	MACHINERY	Moisture meter Digital type battery operated
112 113	GREESE GUN. SPANNER DOUBLE ENDED SET OF 14	15 16	MACHINERY	Grease gun Hand operated capacity - 500ml Carbon Steel Mat Finish Heads Short Pattern Drop Forged Chrome Plated set of 14 , 6-32 mm
114	UNIVERSAL WOOD WORKING MACHINE	17	MACHINERY	Universal wood working machine - length of bed: 1155/45 inch, height centre: 8 inch, admit between centre: 48 inch, approx. spindle speed: 700/ 1400/2800, power: 2 HP, 1440 RPM, SINGLE phase with motor function to be reqd, planing, sawing ng,turning,mortising,grooving,grinding,etc.,Double jack.
115	ELECTRICAL DRYING OVEN (SMALL TYPE).	18	MACHINERY	digital temperature control provides precise and accurate control of drying temperature,With accessory

116	BAND SAW MACHINE WITH PROVISION.	19	MACHINERY	Diameter of Saw Wheels 533 mm ,Maximum Cutting Cap. 315 mm Throat Depth 495 mm ,Table Size /610 x 610 mm Width of Saw Wheels 40mm ,Table Height From Floor 915 mm Approx., Speed of Saw Wheels 700 RPM Power Required 3 HP with moter , Saw Blade Size 3985mm, With accessory
117	FIRE EXTINGUISHER.	20	tool/accessories	Standard Fire Extinguisher of Dry Powder or CO2 Type capable to extinguish Class C Fire
118	FIRE BUCKETS.	21	tool/accessories	Standard Fire Buckets made of GI material,Red painted and round bottom with handle and must be of 9 Litre Capacity and stand have to arrangement for hanging of 4 Buckets.stand made of MS Angle 35mm x 35mm x 4 mm.